



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/619,066	07/14/2003	Jay S. Walker	3718582-00122	5879
29150 7590 08/26/2010				
K&L Gates LLP				
P.O. Box 1135				
CHICAGO, IL 60690				
EXAMINER				
NGUYEN, KIM T				
ART UNIT		PAPER NUMBER		
3713				
NOTIFICATION DATE		DELIVERY MODE		
08/26/2010		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

chicago.patents@klgates.com

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.:20100819

DATE : August 19, 2010

TO SPE OF : ART UNIT 3661

SUBJECT : Request for Certificate of Correction on Patent No.: 7,056,207

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

**Certificates of Correction Branch - ST (South Tower) 9A22**

Palm location **7590** - Tel. No. (703) 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

\_\_\_\_\_  
Certificates of Correction Branch**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriated box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**Specify below which changes **do not** apply.☐ **Denied**

State the reasons for denial below.

**Comments:**

/THOMAS G BLACK/  
Supervisory Patent Examiner.Art Unit 3661